

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7715	hash adj function	US-PGPUB; USPAT	OR	ON	2006/06/08 19:36
L2	8	(US-20040044775-\$ or US-20020135801-\$).did. or (US-6182116-\$ or US-6256662-\$ or US-6282281-\$ or US-6487555-\$ or US-5838916-\$ or US-6668276-\$). did.	US-PGPUB; USPAT	OR	ON	2006/06/08 19:36
L3	1383247	file document html storage	US-PGPUB; USPAT	OR	ON	2006/06/08 19:37
L4	1200584	path folder	US-PGPUB; USPAT	OR	ON	2006/06/08 19:37
L5	31339	L3 near3 L4	US-PGPUB; USPAT	OR	ON	2006/06/08 19:37
L6	41	1 same L5	US-PGPUB; USPAT	OR	ON	2006/06/08 19:39
L7	1	("20040181605").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/08 19:39
L8	247	(nfs.clm. cifs.clm.) and 3.clm.	US-PGPUB; USPAT	OR	ON	2006/06/08 20:18
L9	2600549	transcod\$4 compil\$4 translat\$4 compress\$4 scal\$4 convert\$4	US-PGPUB; USPAT	OR	ON	2006/06/08 20:19
L10	1615	file.clm. and protocol.clm. and L9. clm.	US-PGPUB; USPAT	OR	ON	2006/06/08 20:19
L11	8144	(709/217-219).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/08 20:37
L12	152	10 and 11 and 9	US-PGPUB; USPAT	OR	ON	2006/06/08 20:37
L13	30	8 and 11	US-PGPUB; USPAT	OR	ON	2006/06/08 20:37
S1	2521940	multi many	US-PGPUB; USPAT	OR	ON	2006/06/08 17:31
S2	1383247	file document html storage	US-PGPUB; USPAT	OR	ON	2006/06/08 17:31
S3	3206852	serial number identif\$5 id	US-PGPUB; USPAT	OR	ON	2006/06/08 17:33
S4	1200584	path folder	US-PGPUB; USPAT	OR	ON	2006/06/08 17:34
S5	2600549	transcod\$4 compil\$4 translat\$4 compress\$4 scal\$4 convert\$4	US-PGPUB; USPAT	OR	ON	2006/06/08 17:35

EAST Search History

S6	121858	S2 near3 S3	US-PGPUB; USPAT	OR	ON	2006/06/08 17:36
S7	5566	S5 with S4 with S3	US-PGPUB; USPAT	OR	ON	2006/06/08 17:36
S8	136	S6 with S4 with S5	US-PGPUB; USPAT	OR	ON	2006/06/08 17:36
S9	843	S6 same S4 same S5	US-PGPUB; USPAT	OR	ON	2006/06/08 17:37
S10	3903	S2 same S3 same S4 same S5	US-PGPUB; USPAT	OR	ON	2006/06/08 17:37
S11	31339	S2 near3 S4	US-PGPUB; USPAT	OR	ON	2006/06/08 17:38
S12	8144	(709/217-219).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/08 17:48
S13	2549	S12 and S2 and S3 and S4 and S5	US-PGPUB; USPAT	OR	ON	2006/06/08 17:49
S14	4245	S6 same S11	US-PGPUB; USPAT	OR	ON	2006/06/08 17:55
S15	3615	second adj protocol	US-PGPUB; USPAT	OR	ON	2006/06/08 17:56
S16	57	S15 with (S4 S3) with S5	US-PGPUB; USPAT	OR	ON	2006/06/08 17:56
S17	4312894	@ad<"20030313" @rlad<"20030313"	US-PGPUB; USPAT	OR	ON	2006/06/08 17:58
S18	34	S9 and S12	US-PGPUB; USPAT	OR	ON	2006/06/08 19:36
S19	109	S12 and S10	US-PGPUB; USPAT	OR	ON	2006/06/08 17:58
S20	98	S19 and S17	US-PGPUB; USPAT	OR	ON	2006/06/08 17:58



protocol convert path serial nfs

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar

Results 1 - 10 of about 397 for protocol convert path serial nfs with Safesearch on. (0.11 seconds)
[All articles](#) [Recent articles](#)

Compressing TCP/IP headers for low-speed serial links - group of 2 »

V Jacobson - dspace.cam.ac.uk

... compression possibility would be to **convert** each TCP ... semantically equivalent conversation in a **protocol** with smaller ... traffic will follow the ACDB **path** and some ...

[Cited by 264](#) - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)

FTP Access As a User-Defined File System

MK Gschwind, TU Wien - portal.acm.org

... so the ftp2nfsd server has to **convert** meta data ... In the FTP-NFS **protocol** translation service, we solved ... remote login ID), all further **path** components specify ...

[Cited by 7](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

[book] Nfs Illustrated

B Callaghan - 1999 - books.google.com

... Native **Path** 444 16.8.3 Client and Server Port 444 16.9 WebNFS Security Negotiation 445 16.10 Summary 447 17 NFS Version 4 449 17.1 A nIETF **Protocol** 450 ...

[Cited by 52](#) - [Web Search](#) - [Import into BibTeX](#) - [Library Search](#)

History and Release - group of 2 »

A Schwarzmüller - dragonix.openhardware.net

... us check if the system finds the **path** to the ... down voltage regulator is used to **convert** the DC ... Circuit Board TCP/IP Transmission Control **Protocol** over Internet ...

[View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)

[book] Ospf: Anatomy of an Internet Routing Protocol

JT Moy - 1998 - books.google.com

... These routing protocols, and, in particular, the specific routing **protocol** called the Open Shortest **Path** First (OSPF) **protocol**, are the main subject of this ...

[Cited by 214](#) - [Web Search](#) - [Import into BibTeX](#) - [Library Search](#)

RFC 3668

SSHFT Protocol - tools.ietf.org

... any other assumptions; however, they can splice **path** name components ... set and be able to **convert** it to UTF ... Internet-Draft SSH File Transfer **Protocol** October 2004 ...

[View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)

SAN over 10G ip™

SB Park - gocsc.com

... server and the storage devices are on a separate dedicated **path** than the ... SANs, an IP storage switch or router is needed to **convert** the FC **protocol** to iSCSI ...

[View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)

Building a practical HIPPI LAN

JK Renwick, CR Inc, MN Eagan - Local Computer Networks, 1992. Proceedings., 17th Conference ..., 1992 - ieeexplore.ieee.org

... s disks are "mounted" on all systems using **NFS protocol**. ... a different "light- weight" transport **protocol** will not ... of the PS32 switch to **convert** 12- bit ...

[Cited by 5](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

[book] Solaris 8: Part A & Part B - group of 2 »

J Winsor - 2000 - books.google.com

... 197 clear_locks — Clear Locks Held on Behalf of an NFS Client 1 ... or Display Devices Used as Auxiliary Console Devices 201 conv_lp — **Convert** LP Configuration ...

[Web Search](#) - [Import into BibTeX](#)

Secure Shell Working Group J. Galbraith Internet-Draft VanDyke Software Expires: December 3, 2005 O. ...

SSHFT Protocol - tools.ietf.org

... other assumptions; however, they can splice **path** name components ... character set and be able to **convert** it to ... Internet-Draft SSH File Transfer **Protocol** June 2005 ...

[View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)

Goooooooooooooole ►

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

protocol convert path serial nfs

Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2006 Google



pathname hash function file system

Search

[Advanced Scholar Search](#)[Scholar Preferences](#)[Scholar Help](#)

Scholar

Results 1 - 10 of about 1,120 for **pathname hash function file system** with Safesearch on. (0.14 seconds)[All articles](#) [Recent articles](#)[Ivy: A read/write peer-to-peer file system - group of 38 »](#)

A Muthitacharoen, R Morris, TM Gil, B Chen - Proc. of OSDI, 2002 - usenix.org
 ... view block; this is essentially a self-certifying **pathname** [23 ... server also keeps
 a LRU cache of content-**hash** blocks (eg.. 2) over a WAN, 3) as a **function** of the ...
[Cited by 164](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

[Fast and secure distributed read-only file system - group of 29 »](#)

K Fu, MF Kaashoek, D Mazieres - ACM Transactions on Computer Systems, 2002 - usenix.org
 ... a symbolic link to a self-certifying **pathname** for an ... because our caches absorb the
 cost of **hash** verification ... **filesystem** performs well enough to **function** as an ...
[Cited by 118](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

[Separating key management from file system security - group of 29 »](#)

D Mazières, M Kaminsky, MF Kaashoek, E Witchel - portal.acm.org
 ... HostID with SHA-1 [8], a collision- resistant **hash function**: ... Given this scheme, the
pathname of an SFS file ... the format of an actual self-certifying **path- name**. ...
[Cited by 147](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

[A 64-bit, shared disk file system for Linux - group of 6 »](#)

KW Preslan, AP Barry, JE Brassow, GM Erickson, E ... - Mass Storage Systems, 1999. 16th IEEE Symposium on, 1999 - ieeeexplore.ieee.org
 ... directory lookups since each directory in the **pathname** requires one ... **filesystem** specific
 layer, it makes a **function** call to the **file system** dependent layer.
[Cited by 73](#) - [Web Search](#) - [Import into BibTeX](#)

[A Fast File System for UNIX - group of 163 »](#)

MK McKusick, WN Joy, SJ Leffler, RS Fabry - ACM Transactions on Computer Systems, 1984 - fmg-www.cs.ucla.edu
 ... un- used slots in nearly full **hash** tables [Knuth75 ... prepended to the rest of the **path-**
name, and this name is interpreted to yield the resulting **pathname**. ...
[Cited by 451](#) - [Cached](#) - [Web Search](#) - [Import into BibTeX](#) - [Library Search](#)

[Archipelago: an island-based file system for highly available and scalable Internet services - group of 7 »](#)

M Ji, E Felten, R Wang, JP Singh - USENIX Windows Systems Symposium, 2000 - db.usenix.org
 ... index in two steps: first, hashing the **pathname** to a ... with an extendible **hash** table
 [8]. The universal **hash function** used in an island-based **filesystem** is a ...
[Cited by 28](#) - [Cached](#) - [Web Search](#) - [Import into BibTeX](#)

[Accessing files in an Internet: the Jade file system - group of 8 »](#)

HC Rao, LL Peterson - IEEE Transactions on Software Engineering, 1993 - doi.ieeeecs.org
 ... under the skeleton directory ldatabaseieee, the **path- name** lmake/ieee Note that
 a given Jade **pathname** refers to at ... A **hash** table is used to locate a particular ...
[Cited by 32](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

[The design of a multicast-based distributed file system - group of 10 »](#)

B Gronvall, A Westerlund, S Pink - Operating Systems Design and Implementation, 1999 - usenix.org
 ... For each **pathname** component, the cached access rights in ... messages result from collisions
 in the **hash** from FileID ... can be detected by snooping the current table. ...
[Cited by 39](#) - [Cached](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

[Shoring up persistent applications - group of 3 »](#)

MJ Carey, OG Tsatalos, SJ White, MJ Zwilling, DJ ... - Proceedings of the 1994 ACM SIGMOD international conference ..., 1994 - portal.acm.org
 ... with page-level locking, log-based recovery based on the ARIES algorithm [FZT+92 ...
 of the services provided by SHORE, including both its **file system** and database ...
[Cited by 341](#) - [Web Search](#) - [Import into BibTeX](#) - [Library Search](#) - [BL Direct](#)

[NASD scalable storage systems - group of 9 »](#)

GA Gibson, DF Nagle, II William Courtright, N ... - Proceedings of the USENIX'99 Extreme Linux Workshop, 1999 - pdl.cmu.edu
 ... This allows **pathname** lookup to avoid accessing the **file** ... [Knudsen96] Knudsen, L.,
 Preneel, B., **Hash functions** based on ... MK et al., A Fast **File System** for UNIX ...
[Cited by 44](#) - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)

Goooooooooooooole ►

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

pathname hash function file system Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2006 Google

protocol convert path serial

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2006 Google



pathname hash file system

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar

Results 1 - 10 of about 765 for pathname hash file system. (0.13 seconds)
[All articles](#) [Recent articles](#)

A Fast File System for UNIX - group of 163 »

MK McKusick, WN Joy, SJ Leffler, RS Fabry - ACM Transactions on Computer Systems, 1984 - fmg-www.cs.ucla.edu
 ... un- used slots in nearly full **hash** tables [Knuth75 ... prepended to the rest of the **path-**
name, and this name is interpreted to yield the resulting **pathname**. ...
 Cited by 451 - [Cached](#) - [Web Search](#) - [Import into BibTeX](#) - [Library Search](#)

Fast and secure distributed read-only file system - group of 29 »

K Fu, MF Kaashoek, D Mazieres - ACM Transactions on Computer Systems, 2002 - unix.org
 ... handle >.) Clients verify that a directory contains the proper **pathname** when first ...
 Even small changes to the **file system** cause most of the **hash** tree under.
 Cited by 118 - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

Separating key management from file system security - group of 29 »

D Mazières, M Kaminsky, MF Kaashoek, E Witchel - portal.acm.org
 ... with SHA-1 [8], a collision- resistant **hash** function ... Given this scheme, the **pathname**
 of an SFS file ... 1 shows the format of an actual self-certifying **path-** **name**. ...
 Cited by 147 - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

Ivy: A read/write peer-to-peer file system - group of 38 »

A Muthitacharoen, R Morris, TM Gil, B Chen - Proc. of OSDI, 2002 - unix.org
 ... A user names an Ivy **file system** with the content-**haskey** of the view block;
 this is essentially a self-certifying **pathname** [23]. ...
 Cited by 164 - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

A cryptographic file system for UNIX - group of 105 »

M Blaze - Proceedings of the 1st ACM conference on Computer and ..., 1993 - portal.acm.org
 ... Encryption of **pathname** components uses a similar scheme, with ... with arguments contain-
 ing the full **path name** of a ... in the directory encrypted with a **hash** of the ...
 Cited by 185 - [Web Search](#) - [Import into BibTeX](#)

A 64-bit, shared disk file system for Linux - group of 6 »

KW Preslan, AP Barry, JE Brassow, GM Erickson, E ... - Mass Storage Systems, 1999. 16th IEEE Symposium on, 1999 - ieeeexplore.ieee.org
 ... a feature partic- ularly useful for directory lookups since each directory in the
pathname requires one directory file read. Consider a **file system** block size ...
 Cited by 73 - [Web Search](#) - [Import into BibTeX](#)

Archipelago: an island-based file system for highly available and scalable Internet services - group of 7 »

M Ji, E Felten, R Wang, JP Singh - USENIX Windows Systems Symposium, 2000 - db.usenix.org
 ... index in two steps: first, hashing the **pathname** to a ... an extendible **hash** table [8].
 The universal **hash** function used in an island-based **file system** is a ...
 Cited by 28 - [Cached](#) - [Web Search](#) - [Import into BibTeX](#)

Accessing files in an Internet: the Jade file system - group of 8 »

HC Rao, LL Peterson - IEEE Transactions on Software Engineering, 1993 - doi.ieeecs.org
 ... under the skeleton directory **Idatabase**ieeee, the **path-** **name** **Imike/ieee** .Note that
 a given Jade **pathname** refers to at ... A **hash** table is used to locate a particular ...
 Cited by 32 - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

The design of a multicast-based distributed file system - group of 10 »

B Gronvall, A Westerlund, S Pink - Operating Systems Design and Implementation, 1999 - unix.org
 ... For each **pathname** component, the cached access rights in ... result from collisions in
 the **hash** from FileID ... **File** Conflicts in the Ficus **File System**, In Proceedings ...
 Cited by 39 - [Cached](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

Unifying file system protection - group of 7 »

CA Stein, JH Howard, MI Seltzer - Proc. of the USENIX Technical Conference, 2001 - eecs.harvard.edu
 ... **File system** blocks are named and requested by their **hash** value. ... It contains the
 committed **hash** for every block, indexed by **file system** block number. ...
 Cited by 15 - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

pathname hash file system

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2006 Google



protocol conversion hash

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar

Results 1 - 10 of about 3,900 for protocol conversion hash. (0.12 seconds)
[All articles](#) [Recent articles](#)
[A scalable and provably secure hash based RFID protocol - group of 7 »](#)

G Avoine, P Oechslin - International Workshop on Pervasive Computing and ... - doi.ieeecomputersociety.org

A Scalable and Provably Secure Hash-Based RFID Protocol ... Indeed, in the brute- force, the hash chains are ... The conversion factor from units of brute-force to ...

[Cited by 19](#) - [Web Search](#) - [Import into BibTeX](#)
[Designated confirmer signatures](#)

D Chaum - EUROCRYPT, 1994 - Springer

... He computes the MA-signature on $X(a, b) @ F(m)$ where F is a suitable hash function and 31 ... Colin 90 Veronica Figure 3: **Conversion protocol 5 Conversion protocol** ...[Cited by 92](#) - [Web Search](#) - [Import into BibTeX](#)
[Design, implementation, and evaluation of Virtual Internet Protocol](#)

F Teraoka, K Claffy, M Tokoro - Distributed Computing Systems, 1992., Proceedings of the ..., 1992 - ieeexplore.ieee.org

... prop- agating cache method, as an example of a virtual net- work **protocol**. ... There are several possible methods for address **conversion**, such as using some kind ...[Cited by 35](#) - [Web Search](#) - [Import into BibTeX](#)
[Introducing SCSI-to-IP cache for storage area networks - group of 8 »](#)

X He, Q Yang, M Zhang - ... Processing, 2002. Proceedings. International Conference on, 2002 - ieeexplore.ieee.org

... The details of the cache coherence **protocol** are out of ... a program called ReqGenerator to **convert** the traces ... would need an iSCSI to SCSI **converter** costing \$5,083 ...[Cited by 13](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)
[Convertible Undeniable Signature Scheme - group of 5 »](#)

SH Yun, TY Kim - High Performance Computing on the Information Superhighway, ... - doi.ieeecs.org

... root of mod p by adjusting hash parameter hpr It can **convert** undeniable signature to the ordinary one ... of the proposed signature confirmation **protocol** is less ...[Cited by 3](#) - [Web Search](#) - [Import into BibTeX](#)
[Designated confirmer signatures and public-key encryption are equivalent - group of 2 »](#)

T Okamoto - Advances in Cryptology CRYPTO - Springer

... as a three move **protocol**, while the other uses instead the extendedFiat-Shamir scheme [GQ88, OhOk88] as a three move **protocol**. ...[Cited by 42](#) - [Web Search](#) - [Import into BibTeX](#)
[Billing users and pricing for TCP - group of 11 »](#)

RJ Edell, N McKeown, PP Varaiya - Selected Areas in Communications, IEEE Journal on, 1995 - ieeexplore.ieee.org

... This may be overcome by metering **protocol** header bytes as well as data bytes. EDELL er d.: BILLING USERS AND PRICING FOR TCP RAM Hash Function ' fRdWl fKAVZ I ...[Cited by 86](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)
[A caching strategy to improve iSCSI performance - group of 10 »](#)

X He, Q Yang, M Zhang - Local Computer Networks, 2002. Proceedings. LCN 2002. 27th ..., 2002 - ieeexplore.ieee.org

... the other carries out SCSI and IP **protocol conversion** at a ... To encapsulate SCSI **protocol** over IP requires significant amount ... LBAs) and organized by a hash table ...[Cited by 14](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)
[Protocol issues in interconnecting ISDN, IN, and LAN](#)

CH Chow, BC Res, NJ Morristown, H Kong - TENCON 90. 1990 IEEE Region 10 Conference on Computer and ..., 1990 - ieeexplore.ieee.org

... The **protocol converter** discussed in this paper deals with th **conversion** of both data and voice communication protocols, which is needed for multimedia ...[Web Search](#) - [Import into BibTeX](#)
[Secure implementation method of POP before SMTP using a relay server with SSL protocol](#)

K Masui, M Tomoishi, N Yonezaki - Electronics and Communications in Japan (Part III Fundamental ..., 2004 - doi.wiley.com

... Kropauth hash -o sendmail.popauth The following description is then added to check ...

SSL is employed as an example of **protocol conversion** by the relay server; in ...[Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

Gooooooooooooo gle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

protocol conversion hash

Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2006 Google



pathname to serial conversion

Search

[Advanced Scholar Search](#)[Scholar Preferences](#)[Scholar Help](#)"to" is a very common word and was not included in your search [details](#)**Scholar**Results 1 - 10 of about 298 for **pathname to serial conversion** with Safesearch on. (0.19 seconds)[All articles](#) [Recent articles](#)User's Manual - group of 10 »

BHC Kit - Applied Biosystems, Foster City, CA, USA, 1999 - jameco.com

... You must have an IBM-compatible PC with a CD-ROM drive, at least one free **serial** port (some applications use two **serial** ports), and one of the following ...[Cited by 2](#) - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)1 Features - group of 11 »

DAFIR Filter - support.xilinx.co.jp

... 2 N Word LUT B x(n) Parallel-to-**Serial Converter** B-bit Shift Registers DA LUT Address

Sequence Partial Products N-1 Shift Registers PSC Time Skew Buffer (TSB) ...

[View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)IF/Prolog V5.3 - group of 3 »

Q Reference - ifcomputer.com

... Prolog command line parameters -root **pathname** Specify **pathname** under which the files of the Prolog system are installed. ... Term **conversion** +Structure =.. ?List ...[View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)... Requests Proposals For Digital Images from Original Documents Text **Conversion** and SGML-Encoding ... - group of 3 »

S No, C No - lcweb2.loc.gov

... Digital Images from Original Documents Text **Conversion** and SGML-Encoding NationalDigital Library Program ... C-23 C.11 TEXT **CONVERSION** AND SGML - ENCODING C-25 ...[View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)DSP56303EVM User's Manual - group of 12 »

I Motorola, SP Sector - DSP56303EVMUM/AD, Semiconductor Products Sector, DSP ..., 1998 - freescale.com

... 3-8 3.5 Command **Converter** 3-12 3.6.1 **Serial**

Communication Interface Port (SCI).

[Cited by 1](#) - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)Data Transport

TCP IF - doi.wiley.com

... SITE <Sp> <string> <CRLF> SY ST <CRLF> STAT [<SP> <**pathname**>] <CRLF> Status ... Figure8-5 illustrates the **conversion** process from the local terminalhost format to ...[Web Search](#) - [Import into BibTeX](#)Section 10: Data Interchange Format

RV IRV - ieeexplore.ieee.org

... If a **pathname** does not fit in the space provided, the format-creating utility ... **name**. ...are identified by each file having the same dev- ice and file **serial** number ...[Web Search](#) - [Import into BibTeX](#)User's Manual - group of 18 »

I Motorola, SP Sector - www-dsp.eurec.fr

... POWER MC33078 MC34164 SW1 P1 **Serial** # LED MC74HCT241 J3 ISA CONNECTOR J1 J4 COMMAND**CONVERTER** SELECT J5 ESSIO JTAG J2 MCM6306 MCM6306 ESSIO/SCI Debug Power J4 ...[View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)To whom it might concern: This is the final report for the Tech-X Phase II SBIR project "CORBA for ...

S Shasharina - osti.gov

... IDL - CORBA - IDL **Conversion** The IDL-CORBA bridge supports a rich subset of ... simpleuser interface and requires very little refactoring of existing **serial** code ...[View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)User's Manual

AOBS FLOW - nwo.usace.army.mil

... 2. Provide means to **convert** data into a standardized ... inputted, as well as the DSS**pathname** for the ... annual flow-volumes, annual lag-1 **serial** or autocorrelation ...[View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)

Goooooooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

pathname to serial conversion

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2006 Google



pathname to identify

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

"to" is a very common word and was not included in your search [\[details\]](#)

Scholar

Results 1 - 10 of about 2,250 for pathname to identify with Safesearch on. (0.12 seconds)
[All articles](#) [Recent articles](#)

ITC File System Design - group of 2 »

S Park - reports-archive.adm.cs.cmu.edu

... into VICE. As you append components to a **pathname**, you **identify** subdirectories until eventually you arrive at a file. For example, to find the file associated ...

[View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)

Providing a Linux API on the scalable K42 kernel - group of 6 »

J Appavoo, M Auslander, D Edelson, D Da Silva, O ... - Proceedings of the 2003 USENIX Technical Conference, FREENIX ... - research.ibm.com

Page 1. Providing a Linux API on the Scalable K42 Kernel Jonathan Appavoo Computer

Science Department University of Toronto jonathan@eecg.toronto.edu ...

[Cited by 8](#) - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)

Real-time UNIX application filestores - group of 4 »

LE Heindel, VA Kasten - Real-Time Technology and Applications Symposium, 1995. ..., 1995 - doi.ieeecs.org

... Thus, the **path- name** "/AIL" "/AIMIU/X" and the **pathname** "IBPIQ" each ... an application process uses an internal key to **identify** desired files ...

[Web Search](#) - [Import into BibTeX](#)

[PS] An Object Base for Attributed Software Objects - group of 5 »

A Lampen, A Mahler - Proc. EUUG Autumn Conference - unibw-muenchen.de

... and directory entries. The **(path-)name** attribute is the sole means to **identify** and access a filesystem object. This turns out to ...

[Cited by 14](#) - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)

Variable granularity cache coherence - group of 7 »

L Mummert, M Satyanarayanan - ACM SIGOPS Operating Systems Review, 1994 - portal.acm.org

... These considerations preclude the use of **pathname** prefixes to **identify** the units of validation. The level of granularity we have chosen is the ...

[Cited by 16](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

Network Working Group B. Callaghan Request for Comments: 2055 Sun Microsystems, Inc. Category: ... - group of 35 »

WS Specification - bgp.potaroo.net

... Even though the **pathname** destination is in an exported filesystem, the server cannot return ... so that anonymous FTP pathnames could be used to **identify** files in ...

[View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)

RFC 2055 (RFC2055)

WS Specification - faqs.org

... file" or LOOKUP 0x0 "/export/that/file" Even though the **pathname** destination is ... FTP archive, so that anonymous FTP pathnames could be used to **identify** files in ...

[Cached](#) - [Web Search](#) - [Import into BibTeX](#)

Supporting interactive presentation for distributed multimedia applications - group of 3 »

JD Bates, JD Bacon - Multimedia Tools and Applications, 1995 - Springer

... An example is a source device VideoRepository which requires a repository address and a **pathname** to **identify** an object in the repository. ...

[Cited by 13](#) - [Web Search](#) - [Import into BibTeX](#)

"SLOWER THAN A DEAD SNAIL?"-AN ORACLE & UNIX TUNING CASE-STUDY - group of 2 »

T Foxon - Int. CMG Conference, 2001 - metron.co.uk

... The user program will **identify** the file by **<pathname ... Jan/01 Path Name Resolutions** (/sec) Directory I/O (/sec) ... indicates a very high level of **pathname** resolution ...

[View as HTML](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

A general-purpose file system for secondary storage - group of 3 »

RC Daley, PG Neumann - Proc. AFIPS, 1965 - multicians.org

... numbers are used for descriptive purposes only, to **identify** directories in ...

CHANGEDIRECTORY PATHNAME., where the **path name** may be relative to the (old) working ...
[Cited by 48](#) - [Cached](#) - [Web Search](#) - [Import into BibTeX](#)

Goooooooooooooogle ►

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

pathname to identify

Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2006 Google



```
dfs to nfs
```

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

"to" is a very common word and was not included in your search details]

Scholar

Results 1 - 10 of about 736 for dfs to nfs with Safesearch on. (0.12 seconds)

All articles [Recent articles](#)

Distributed file systems: focus on Andrew File System/Distributed File Service (AFS/DFS) - group of 2 »
R Tobbicke, G CERN - Mass Storage Systems, 1994.'Towards Distributed Storage and ...', 1994 - ieeexplore.ieee.org
... In modern versions of **NFS** or in **DFS**, a client can specify which file servers can
be trusted. In AFS, the granularity is the administrative domain (or cell). ...
Cited by 9 - Web Search - Import into BibTeX

NFS Version 3 Design and Implementation - group of 14 »

B Pawlowski, C Juszczak, P Staubach, C Smith, D ... - Proceedings of the Summer USENIX Conference, 1994 - cs.pitt.edu
Page 1. NFS Version 3 ... NFS Version 2 has an artifact of a proposed inter- § face
for asynchronous writes (the undefined £ WRITECACHE procedure). ...
[Cited by 106](#) - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)

Fractal dimension of wood surfaces from sorption isotherms

SGF Hatzikiiriakos, SF Avramidis - Wood Science and Technology, 1994 - Springer
... reflects the fractal nature of sorption. Thus the fractal dimension, dfs ,
of the surface can be determined from $dfs = 2 + nfs$ (8) ...
Cited by 5 - Web Search - Import into BibTeX - BL Direct

Implementing a shared file system on a HIPPI disk array

KC Matthews, CR Inc, MN Eagan - Mass Storage Systems, 1995.'Storage-At the Forefront of ..., 1995 - ieeexplore.ieee.org ... and metadata. Sharing disk file systems is typically accomplished by using network based file systems such as **NFS** and **DFS**. SFS is ...
Cited by 7 - Web Search - Import into BibTeX

Lean-DFS: A distributed filesystem for resource starved clients

S Antony, G Barua - 2004 - Springer
... research goals. General information on DFS can be found in [1, 2]. NFS, 4, 5] is the most widely used distributed filesystem. There ...
Cited by 1 - Web Search - Import into BibTeX

[CITATION] ... Authentication for Distributed File Systems: As Applied to a DCE DFS-to-NFS File System Translator
T Mistretta, W Sommerfeld - proceedings of the PSRG Workshop on Network and Distributed ..., 1994
Web Search - Import into BibTeX

[DOC] DISTRIBUTED FILE SYSTEMS

... **DFS** implementations. **NFS** (Network File System). **NFSs** the most popular **DFS**.
The basic entities of **NFS** architecture are servers and clients. ...
View as HTML - Web Search - Import into BibTeX

Perspectives on high-performance file service

B Nelson, A Syst, CA Santa Clara - Compton Spring'94, Digest of Papers. - ieeexplore.ieee.org
... The topics covered include: the roles of reliability, capacity, performance, and administration in large-site data storage; **DFS** versus **NFS**: will force or ...
Web Search - Import into BibTeX - BL Direct

Einführung von DCE am Rechenzentrum - group of 6 »

... kommen zur Anwendung, **DFS** besitzt einen Netzwerk- ... - dochost.rz.hu-berlin.de
... Für diese Rechner wird ein **DFS/NFS-Secure Gateway** eingerichtet, das diesen einen
Zugriff zum **DFS** ermöglicht (Bild 7). Um eine Zugriffsberechtigung zu erlangen ...
Cached - Web Search - Import into BibTeX

Evaluation and Characterization of Secure File Storage in Client Parallel I/O

... (ie, **DFS** and **NFS** test 1 tests), then all of the test 2 data, etc.. determine whether a test is accessing **DFS** or **NFS** and then invokes `mrnun.sh` (see above). ...
View as HTML - Web Search - Import into BibTeX

Googoooooooooole ►

Result Page: **1 2 3 4 5 6 7 8 9 10** **Next**

dfs to nfs

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2006 Google